

Oregon OSHA – Proposed Changes Cranes and Derricks in Construction

November 2010

These are Federal OSHA changes published in the [August 9, 2010 Federal Register](#). Rule text changes begin on **page 48130 of the Federal Register**. Two new proposed Oregon-initiated rules needed for the portions of the federal rules not adopted by Oregon OSHA, and three notes, start on **page 11 of this document**.

Text proposed to be removed is in [~~brackets with line through~~].

Text proposed to be added is in **bold and underlined**.

DIVISION 3, CONSTRUCTION

437-003-0001

Adoption by Reference. In addition to, and not in lieu of, any other safety and health codes contained in OAR Chapter 437, the Department adopts by reference the following federal regulations printed as part of the Code of Federal Regulations, in the Federal Register:

(1) Subdivision A – GENERAL

(a) 29 CFR 1926.1 Purpose and Scope, published 4/6/79, FR vol. 44, p. 20940.

(b) 29 CFR 1926.2 Variances from safety and health standards, published 4/6/79, FR vol. 44, p. 20940.

(c) 29 CFR 1926.3 Inspections – right of entry, published 4/6/79, FR vol. 44, p. 20940.

(d) 29 CFR 1926.4 Rules of practice for administrative adjudications for enforcement of safety and health standards, published 4/6/79, FR vol. 44, p. 20940.

(e) 29 CFR 1926.6 Incorporation by reference, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.

(2) Subdivision B – GENERAL INTERPRETATIONS

(a) 29 CFR 1926.10 Scope of subpart, published 4/6/79, FR vol. 44, p. 20940.

(b) 29 CFR 1926.11 Coverage under section 103 of the act distinguished, published 4/6/79, FR vol. 44, p. 20940.

(c) 29 CFR 1926.12 Reorganization plan No. 14 of 1950, published 4/6/79, FR vol. 44, p. 20940.

(d) 29 CFR 1926.13 Interpretation of statutory terms, published 4/6/79, FR vol. 44, p. 20940.

(e) 29 CFR 1926.14 Federal contracts for 'mixed' types of performance, published 4/6/79, FR vol. 44, p. 20940.

(f) 29 CFR 1926.15 Relationship to the service contract act; Walsh-Healey Public Contracts Act, published 4/6/79, FR vol. 44, p. 20940.

(g) 29 CFR 1926.16 Rules of construction, published 4/6/79, FR vol. 44, p. 20940.

(3) Subdivision C – GENERAL SAFETY AND HEALTH PROVISIONS

(a) 29 CFR 1926.20 General safety and health provisions, published 12/12/08, FR vol. 73, no. 240, pp. 75568-75589.

- (b) 29 CFR 1926.21 Safety training and education, published 4/6/79, FR vol. 44, p. 20940.
- (c) 29 CFR 1926.22 Recording and reporting of injuries (Reserved)
- (d) 29 CFR 1926.23 First aid and medical attention, published 4/6/79, FR vol. 44, p. 20940.
- (e) 29 CFR 1926.24 Fire protection and prevention, published 4/6/79, FR vol. 44, p. 20940.
- (f) 29 CFR 1926.25 Housekeeping, published 4/6/79, FR vol. 44, p. 20940.
- (g) 29 CFR 1926.26 Illumination, published 4/6/79, FR vol. 44, p. 20940.
- (h) 29 CFR 1926.27 Sanitation, published 4/6/79, FR vol. 44, p. 20940.
- (i) 29 CFR 1926.28 Personal protective equipment, published 4/6/79, FR vol. 44, p. 20940.
- (j) 29 CFR 1926.29 Acceptable certifications, published 4/6/79, FR vol. 44, p. 20940.
- (k) 29 CFR 1926.30 Shipbuilding and ship repairing, published 3/7/96, FR vol. 61, no. 46, p. 9249.
- (l) 29 CFR 1926.31 [~~Incorporation by reference, published 6/18/98, FR vol. 63, no. 117, p. 33468~~] **(Reserved)**.
- (m) 29 CFR 1926.32 Definitions, published 6/30/93, FR vol. 58, no. 124, p. 35078.
- (n) 29 CFR 1926.33 Access to employee exposure and medical records, published 6/20/96, FR vol. 61, no. 46, p. 31427.
- (o) 29 CFR 1926.34 Means of egress, published 6/30/93, Federal Register, vol. 58, no. 124, p. 35083.
- (4) Subdivision D – OCCUPATIONAL HEALTH AND ENVIRONMENTAL CONTROLS
 - (a) 29 CFR 1926.50 Medical services and first aid, published 6/18/98, FR vol. 63, no. 117, p. 33469.
 - (b) 29 CFR 1926.51 Sanitation, published 6/30/93, FR vol. 58, no. 124, p. 35084.
 - (c) 29 CFR 1926.52 Occupational noise exposure, published 4/6/79, FR vol. 44, p. 20940.
 - (d) 29 CFR 1926.53 Ionizing radiation, published 4/6/79, FR vol. 44, p. 20940.
 - (e) 29 CFR 1926.54 Nonionizing radiation, published 4/6/79, FR vol. 44, p. 20940.
 - (f) 29 CFR 1926.55 Gases, vapors, fumes, dusts, and mists, published 1/10/97, FR vol. 62, no. 7, p. 1619.
 - (g) 29 CFR 1926.56 Illumination, published 4/6/79, FR vol. 44, p. 20940.
 - (h) 29 CFR 1926.57 Ventilation, published 1/8/98, FR vol. 63, no. 5, p. 1295.
 - (i) 29 CFR 1926.58 Reserved, §1926.58, Asbestos, tremolite, anthophyllite and actinolite is redesignated as §1926.1101, Asbestos, and §1926.58 is reserved (8/10/94, FR vol. 59, no. 153, pp. 41131-62).
 - (j) 29 CFR 1926.59 Hazard Communication, published 6/20/96, FR vol. 61, p. 31427.
 - (k) 29 CFR 1926.60 Methylenedianiline (MDA), published 12/12/08, FR vol. 73, no. 240, pp. 75568-75589.
 - (l) 29 CFR 1926.61 Retention of DOT markings, placards and labels, published 6/20/96, FR vol. 61, p. 31427.
 - (m) 29 CFR 1926.62 Lead, published 12/12/08, FR vol. 73, no. 240, pp. 75568-75589.
NOTE: Cadmium has been redesignated as §1926.1127.
 - (n) 29 CFR 1926.65 Hazardous Waste Operations and Emergency Response
NOTE: Division 2/H, 1910.120, Hazardous Waste Operations and Emergency Response, applies to Construction.
- (5) Subdivision E – PERSONAL PROTECTIVE AND LIFE SAVING EQUIPMENT
 - (a) 29 CFR 1926.95 Criteria for personal protective equipment, published 11/15/07, FR vol. 72, no. 220, p. 64342.
 - (b) 29 CFR 1926.100 Head protection, published 4/6/79, FR vol. 44, p. 20940.
 - (c) 29 CFR 1926.101 Hearing protection, published 4/6/79, FR vol. 44, p. 20940.
 - (d) 29 CFR 1926.102 Eye and face protection, published 6/30/93, FR vol. 58, no. 124, p. 35160.
 - (e) 29 CFR 1926.103 Respiratory protection, published 1/8/98, FR vol. 63, no. 5, p. 1297.
NOTE: 29 CFR 1926.104 Removed, 8/9/94, FR vol. 59, no. 152, p. 40729.
 - (f) 29 CFR 1926.105 Reserved, 8/9/94, FR vol. 59, no. 152, p. 40729.

- (g) 29 CFR 1926.106 Working over or near water, published 4/6/79, FR vol. 44, p. 20940.
- (h) 29 CFR 1926.107 Definitions applicable to this subpart, published 8/9/94, FR vol. 59, no. 152, p. 40729.
- (6) Subdivision F – FIRE PROTECTION AND PREVENTION
 - (a) 29 CFR 1926.150 Fire protection, published 4/6/79, FR vol. 44, p. 20940.
 - (b) 29 CFR 1926.151 Fire prevention, published 7/11/86, FR vol. 51, p. 25318.
 - (c) 29 CFR 1926.152 Flammable and combustible liquids, published 6/30/93, FR vol. 58, no. 124, p. 35162.
 - (d) 29 CFR 1926.153 Liquefied petroleum gas (LP-Gas), published 6/30/93, FR vol. 58, no. 124, p. 35170.
 - (e) 29 CFR 1926.154 Temporary heating devices, published 4/6/79, FR vol. 44, p. 20940.
 - (f) 29 CFR 1926.155 Definitions applicable to this subpart, published 4/6/79, FR vol. 44, p. 20940.
- (7) Subdivision G – SIGNS, SIGNALS, AND BARRICADES
 - (a) 29 CFR 1926.200 Accident prevention signs and tags, published 6/30/93, FR vol. 58, no. 124, p. 35173; amended with OR-OSHA Admin. Order 2-2003, f. 1/30/03, ef. 1/30/03.
 - (b) 29 CFR 1926.201 Signaling, REPEALED with OR-OSHA Admin. Order 2-2003, f. 1/30/03, ef. 1/30/03.
 - (c) 29 CFR 1926.202 Barricades, REPEALED with OR-OSHA Admin. Order 2-2003, f. 1/30/03, ef. 1/30/03.
 - (d) 29 CFR 1926.203 Definitions applicable to this subpart, published 4/6/79, FR vol. 44, p. 20940; amended with OR-OSHA Admin. Order 2-2003, f. 1/30/03, ef. 1/30/03.
- (8) Subdivision H – MATERIALS HANDLING, STORAGE, USE AND DISPOSAL
 - (a) 29 CFR 1926.250 General requirements for storage, published 6/30/93, FR vol. 58, no. 124, p. 35173.
 - (b) 29 CFR 1926.251 Rigging equipment for material handling, published 6/30/93, FR vol. 58, no. 124, p. 35173.
 - (c) 29 CFR 1926.252 Disposal of waste materials, published 4/6/79, FR vol. 44, p. 20940.
- (9) Subdivision I – TOOLS – HAND AND POWER
 - (a) 29 CFR 1926.300 General requirements, published 3/7/96, FR vol. 61, no. 46, p. 9250.
 - (b) 29 CFR 1926.301 Hand tools, published 4/6/79, FR vol. 44, p. 20940.
 - (c) 29 CFR 1926.302 Power operated hand tools, published 6/30/93, FR vol. 58, no. 124, p. 35175.
 - (d) 29 CFR 1926.303 Abrasive wheels and tools, published 6/30/93, FR vol. 58, no. 124, p. 35175.
 - (e) 29 CFR 1926.304 Woodworking tools, published 3/7/96, FR vol. 61, no. 46, p. 9251.
 - (f) 29 CFR 1926.305 Jacks - lever and ratchet, screw, and hydraulic, published Federal Register vol. 58, no. 124, p. 35176.
- (10) Subdivision J – WELDING AND CUTTING
 - (a) 29 CFR 1926.350 Gas welding and cutting, published 6/30/93, FR vol. 58, no. 124, p. 35179.
 - (b) 29 CFR 1926.351 Arc welding and cutting, published 7/11/86, FR vol. 51, p. 25318.
 - (c) 29 CFR 1926.352 Fire prevention, published 4/6/79, FR vol. 44, p. 20940.
 - (d) 29 CFR 1926.353 Ventilation and protection in welding, cutting, and heating, published 6/30/93, FR vol. 58, no. 124, p. 35179.
 - (e) 29 CFR 1926.354 Welding, cutting, and heating in way of preservative coatings, published 4/6/79, FR vol. 44, p. 20940.
- (11) Subdivision K – ELECTRICAL
 - (a) 29 CFR 1926.400 Introduction, published 7/11/86, FR vol. 51, no. 133, pp. 25294-25335.
 - (b) 29 CFR 1926.401 (Reserved)
 - (c) 29 CFR 1926.402 Applicability, published 7/11/86, FR vol. 51, no. 133, pp. 25294-25335.

- (d) 29 CFR 1926.403 General requirements, published 7/11/86, FR vol. 51, no. 133, pp. 25294-25335.
- (e) 29 CFR 1926.404 Wiring design and protection, published 7/11/86, FR vol. 51, no. 133, pp. 25294-25335; amended with AO 5-2002, repeal (b)(1), f. 6/28/02, ef. 10/1/03.
- (f) 29 CFR 1926.405 Wiring methods, components, and equipment for general use, published 7/11/86, FR vol. 51, no. 133, pp. 25294-25335.
- (g) 29 CFR 1926.406 Specific purpose equipment and installations, published 7/11/86, FR vol. 51, no. 133, pp. 25294-25335.
- (h) 29 CFR 1926.407 Hazardous (classified) locations, published 7/11/86, FR vol. 51, no. 133, pp. 25294-25335.
- (i) 29 CFR 1926.408 Special systems, published 7/11/86, FR vol. 51, no. 133, pp. 25294-25335.
- (j) 29 CFR 1926.409 (Reserved)
- (k) 29 CFR 1926.415 (Reserved)
- (l) 29 CFR 1926.416 General requirements, published 8/12/96, FR vol. 61, no. 156, p. 41738.
- (m) 29 CFR 1926.417 Lockout and tagging of circuits, published 8/12/96, FR vol. 61, no. 156, p. 41739.
- (n) 29 CFR 1926.418 (Reserved)
- (o) 29 CFR 1926.430 (Reserved)
- (p) 29 CFR 1926.431 Maintenance of equipment, published 7/11/86, FR vol. 51, no. 133, pp. 25294-25335.
- (q) 29 CFR 1926.432 Environmental deterioration of equipment, published 7/11/86, FR vol. 51, no. 133, pp. 25294-25335.
- (r) 29 CFR 1926.433 - 29 CFR 1926.440 (Reserved)
- (s) 29 CFR 1926.441 Battery locations and battery charging, published 7/11/86, FR vol. 51, no. 133, pp. 25294-25335.
- (t) 29 CFR 1926.442 - 29 CFR 1926.448 (Reserved)
- (u) 29 CFR 1926.449 Definitions applicable to this subpart, published 7/11/86, FR vol. 51, no. 133, pp. 25294-25335.
- (12) Subdivision L – SCAFFOLDING
- (a) 29 CFR 1926.450 Scope, application and definitions applicable to this subpart, published ~~8/30/96, FR vol. 61, no. 170, p. 46104~~ **8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**
- (b) 29 CFR 1926.451 General requirements, published 11/25/96, FR vol. 61, no. 228, p. 59831.
- (c) 29 CFR 1926.452 Additional requirements applicable to specific types of scaffolds, published 8/30/96, FR vol. 61, no. 170, p. 46113.
- (d) 29 CFR 1926.453 Aerial lifts, published 11/25/96, FR vol. 61, no. 228, p. 59832.
- (e) 29 CFR 1926.454 Training, published 8/30/96, FR vol. 61, no. 170, p. 46117.
- (f) Appendix A to Subpart L Scaffold Specifications, published 8/30/96, FR vol. 61, no. 170, p. 46117.
- (g) Appendix B to Subpart L Criteria for determining the feasibility of providing safe access and fall protection for scaffold erectors and dismantlers (Reserved), published 8/30/96, FR vol. 61, no. 170, p. 46122.
- (h) Appendix C to Subpart L List of National Consensus Standards, published 8/30/96, FR vol. 61, no. 170, p. 46122.
- (i) Appendix D to Subpart L List of training topics for scaffold erectors and dismantlers, published 8/30/96, FR vol. 61, no. 170, p. 46122.
- (j) Appendix E to Subpart L Drawing and illustrations, published 11/25/96, FR vol. 61, no. 228, p. 59832.
- (13) Subdivision M – FALL PROTECTION
- (a) 29 CFR 1926.500 Scope, application, and definitions applicable to this subpart, published ~~7/17/01, FR vol. 66, no. 137, p. 37137; amended with AO 6-2002, f. and ef. 7/19/02~~ **8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**

- (b) 29 CFR 1926.501 Duty to have fall protection, published 8/9/94, FR vol. 59, no. 152, p. 40732-40733; amended with AO 6-2002, f. and ef. 7/19/02.
- (c) 29 CFR 1926.502 Fall protection systems criteria and practices, published 8/9/94, FR vol. 59, no. 152, p. 40733-40738; amended with AO 6-2002, f. and ef. 7/19/02.
- (d) 29 CFR 1926.503 Training requirements. REPEALED with AO 6-2002, f. and ef. 7/19/02, replaced with OI.
- (e) Appendix A to Subpart M Determining Roof Widths, published 8/9/94, FR vol. 59, no. 152, p. 40738-40742.
- (f) Appendix B to Subpart M Guardrail Systems, published 8/9/94, FR vol. 59, no. 152, p. 40743.
- (g) Appendix C to Subpart M Personal Fall Arrest Systems, published 8/9/94, FR vol. 59, no. 152, p. 40743-40746.
- (h) Appendix D to Subpart M Positioning Device Systems, published 8/9/94, FR vol. 59, no. 152, p. 40746.
- (14) Subdivision N – ~~[CRANES, DERRICKS]~~ **HELICOPTERS**, HOISTS, ELEVATORS, AND CONVEYORS
- (a) 29 CFR 1926.550 **(Reserved)** [~~Cranes and derricks, published 6/30/93, FR vol. 58, no. 124, p. 35183.~~]
- (b) 29 CFR 1926.551 Helicopters, published 4/6/79, FR vol. 44, p. 20940.
- (c) 29 CFR 1926.552 Material hoists, personnel hoists, and elevators, published 4/6/79, FR vol. 44, p. 20940.
- (d) 29 CFR 1926.553 Base-mounted drum hoist, published [~~4/6/79, FR vol. 44, p. 20940~~] **8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**
- (e) 29 CFR 1926.554 Overhead hoists, published 4/6/79, FR vol. 44, p. 20940.
- (f) 29 CFR 1926.555 Conveyors, published 4/6/79, FR vol. 44, p. 20940.
- (15) Subdivision O – MOTOR VEHICLES, MECHANIZED EQUIPMENT, AND MARINE OPERATIONS
- (a) 29 CFR 1926.600 Equipment, published [6/30/93, FR vol. 58, no. 124, p. 35183] **8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**
- (b) 29 CFR 1926.601 Motor vehicles, REPEALED by OR-OSHA Admin. Order 6-2007, f. 9/26/07, ef. 9/26/07.
- (c) 29 CFR 1926.602 Material handling equipment, published 12/1/98, FR vol. 63, no. 230, p. 66274; amended by AO 7-2003, f. 12/5/03, ef. 12/5/03.
- (d) 29 CFR 1926.603 Pile driving equipment, published 4/6/79, FR vol. 44, p. 20940.
- (e) 29 CFR 1926.604 Site clearing, published 7/22/77, FR vol. 42, p. 37674.
- (f) 29 CFR 1926.605 Marine operations and equipment, published 4/6/79, FR vol. 44, p. 20940.
- (g) 29 CFR 1926.606 Definitions applicable to this subpart, published 4/6/79, FR vol. 44, p. 20940.
- (16) Subdivision P – EXCAVATIONS
- (a) 29 CFR 1926.650 Scope, application, and definitions applicable to this subdivision, published 10/31/89, FR vol. 54, no. 209, pp. 45959-45961.
- (b) 29 CFR 1926.651 General requirements, published 8/9/94, FR vol. 59, no. 152, p. 40730.
- (c) 29 CFR 1926.652 Requirements for protective systems, published 10/31/89, FR vol. 54, no. 209, pp. 45961-45962.
- (d) Appendices A-F to Subdivision P, Excavations, published 10/31/89, FR vol. 54, no. 209, pp. 45962-45991.
- (17) Subdivision Q – CONCRETE AND MASONRY CONSTRUCTION
- (a) 29 CFR 1926.700 Scope, application and definitions applicable to this subpart, published 10/18/90, FR vol. 55, no. 202, p. 42326.
- (b) 29 CFR 1926.701 General requirements, published 8/9/94, FR vol. 59, no. 152, p. 40730.
- (c) 29 CFR 1926.702 Requirements for equipment and tools, published 6/16/88, FR vol. 53, p. 22612.

- (d) 29 CFR 1926.703 Requirements for cast-in-place concrete, published 6/16/88, FR vol. 53, p. 22612.
- (e) 29 CFR 1926.704 Requirements for precast concrete, published 10/5/89, FR vol. 54, no. 192, p. 41088.
- (f) 29 CFR 1926.705 Requirements for lift-slab construction operations, published 10/18/90, FR vol. 55, no. 202, p. 42326.
- (g) Appendix A to 1926.705 Lift-slab operations, published 10/18/90, FR vol. 55, no. 202, p. 42326.
- (h) 29 CFR 1926.706 Requirements for masonry construction, published 6/16/88, FR vol. 53, p. 22612; amended with OR-OSHA Admin. Order 1-2003, f. 1/30/03, ef. 4/30/03.
- (18) Subdivision R – STEEL ERECTION
- (a) 29 CFR 1926.750 Scope, published 7/17/01, FR vol. 66, no. 137, p. 37137.
- (b) 29 CFR 1926.751 Definitions, published 7/17/01, FR vol. 66, no. 137, p. 37137; amended with AO 6-2002, f. and ef. 7/19/02; amended with AO 8-2003, f. 12/30/03, ef. 1/1/04.
- (c) 29 CFR 1926.752 Site layout, site-specific erection plan and construction sequence, published 7/17/01, FR vol. 66, no. 137, p. 37137.
- (d) 29 CFR 1926.753 Hoisting and rigging, published [~~7/17/01, FR vol. 66, no. 137, p. 37137~~] **8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**
- (e) 29 CFR 1926.754 Structural steel assembly, published 4/3/06, FR vol. 71, no. 63, p. 16669.
- (f) 29 CFR 1926.755 Column anchorage, published 7/17/01, FR vol. 66, no. 137, p. 37137.
- (g) 29 CFR 1926.756 Beams and columns, published 7/17/01, FR vol. 66, no. 137, p. 37137.
- (h) 29 CFR 1926.757 Open web steel joists, published 7/17/01, FR vol. 66, no. 137, p. 37137; amended with AO 8-2003, f. 12/30/03, ef. 1/1/04.
- (i) 29 CFR 1926.758 Systems-engineered metal buildings, published 7/17/01, FR vol. 66, no. 137, p. 37137.
- (j) 29 CFR 1926.759 Falling object protection, published 7/17/01, FR vol. 66, no. 137, p. 37137.
- (k) 29 CFR 1926.760 Fall protection, published 7/17/01, FR vol. 66, no. 137, p. 37137; amended with AO 8-2003, f. 12/30/03, ef. 1/1/04.
- (l) 29 CFR 1926.761 Training, published 12/12/08, FR vol. 73, no. 240, pp. 75568-75589.
- (m) Appendix A to Subpart R Guidelines for establishing the components of a site-specific erection plan: Nonmandatory Guidelines for Complying with §1926.752(e), published 7/17/01, FR vol. 66, no. 137, p. 37137.
- (n) Appendix B to Subpart R Reserved.
- (o) Appendix C to Subpart R Illustrations of bridging terminus points: Nonmandatory Guidelines for Complying with §1926.757(a)(10) and §1926.757(c)(5), published 7/17/01, FR vol. 66, no. 137, p. 37137.
- (p) Appendix D to Subpart R Illustration of the use of control lines to demarcate controlled decking zones (CDZs): Nonmandatory Guidelines for Complying with §1926.760(c)(3), REPEALED with AO 6-2002, f. and ef. 7/19/02; amended with AO 8-2003, f. 12/30/03, ef. 1/1/04.
- (q) Appendix E to Subpart R Training: Nonmandatory Guidelines for Complying with §1926.761, published 7/17/01, FR vol. 66, no. 137, p. 37137.
- (r) Appendix F to Subpart R Perimeter columns: Nonmandatory Guidelines for Complying with §1926.756(e) to Protect the Unprotected Side or Edge of a Walking/Working Surface, published 7/17/01, FR vol. 66, no. 137, p. 37137.
- (s) Appendix G to Subpart R Fall protection systems criteria and practices from §1926.502: Nonmandatory Guidelines for Complying with §1926.760(d), REPEALED with AO 6-2002, f. and ef. 7/19/02; amended with AO 8-2003, f. 12/30/03, ef. 1/1/04.
- (t) Appendix H to Subpart R Double connections: Illustration of a clipped end connection and a staggered connection: Non-Mandatory Guidelines for Complying with §1926.756(c)(1), published 7/17/01, FR vol. 66, no. 137, p. 37137.

(19) Subdivision S – UNDERGROUND CONSTRUCTION, CAISSONS, COFFERDAMS, AND COMPRESSED AIR

(a) 29 CFR 1926.800 Tunnels and shafts, published [~~4/3/06, FR vol. 71, no. 63, p. 16669~~]
8/9/10, FR vol. 75, no. 152, pp.47906-48177.

(b) 29 CFR 1926.801 Caissons, published 4/6/79, FR vol. 44, p. 20940.

(c) 29 CFR 1926.802 Cofferdams, published 4/6/79, FR vol. 44, p. 20940.

(d) 29 CFR 1926.803 Compressed air, published 7/11/86, FR vol. 51, p. 25318.

(e) 29 CFR 1926.804 Definitions applicable to this subpart, published 4/6/79, FR vol. 44, p. 20940.

(f) Appendix A to Subpart S Decompression Tables, published 4/6/79, FR vol. 44, p. 20940.

(20) Subdivision T – DEMOLITION

(a) 29 CFR 1926.850 Preparatory operations, published 4/6/79, FR vol. 44, p. 20940.

(b) 29 CFR 1926.851 Stairs, passageways, and ladders, published 4/6/79, FR vol. 44, p. 20940.

(c) 29 CFR 1926.852 Chutes, published 4/6/79, FR vol. 44, p. 20940.

(d) 29 CFR 1926.853 Removal of materials through floor openings, published 4/6/79, FR vol. 44, p. 20940.

(e) 29 CFR 1926.854 Removal of walls, masonry sections, and chimneys, published 4/6/79, FR vol. 44, p. 20940.

(f) 29 CFR 1926.855 Manual removal of floors, published 4/6/79, FR vol. 44, p. 20940.

(g) 29 CFR 1926.856 Removal of walls, floors, and materials with equipment, published [~~4/6/79, FR vol. 44, p. 20940~~]
8/9/10, FR vol. 75, no. 152, pp. 47906-48177.

(h) 29 CFR 1926.857 Storage, published 4/6/79, FR vol. 44, p. 20940.

(i) 29 CFR 1926.858 Removal of steel construction, published [~~4/6/79, FR vol. 44, p. 20940~~]
8/9/10, FR vol. 75, no. 152, pp. 47906-48177.

(j) 29 CFR 1926.859 Mechanical demolition, published 4/6/79, FR vol. 44, p. 20940.

(k) 29 CFR 1926.860 Selective demolition by explosives, published 4/6/79, FR vol. 44, p. 20940.

(21) Subdivision U – BLASTING AND USE OF EXPLOSIVES

(a) 29 CFR 1926.900 General provisions, published 4/6/79, FR vol. 44, p. 20940.

(b) 29 CFR 1926.901 Blaster qualifications, published 4/6/79, FR vol. 44, p. 20940.

(c) 29 CFR 1926.902 Surface transportation of explosives, published 6/30/93, FR vol. 58, no. 124, p. 35311.

(d) 29 CFR 1926.903 Underground transportation of explosives, published 4/6/79, FR vol. 44, p. 20940.

(e) 29 CFR 1926.904 Storage of explosives and blasting agents, published 6/30/93, FR vol. 58, no. 124, p. 35311.

(f) 29 CFR 1926.905 Loading of explosives or blasting agents, published 6/30/93, FR vol. 58, no. 124, p. 35184.

(g) 29 CFR 1926.906 Initiation of explosive charges – electric blasting, published 6/18/98, FR vol. 63, no. 117, p. 33469.

(h) 29 CFR 1926.907 Use of safety fuse, published 4/6/79, FR vol. 44, p. 20940.

(i) 29 CFR 1926.908 Use of detonating cord, published 4/6/79, FR vol. 44, p. 20940.

(j) 29 CFR 1926.909 Firing the blast, published 4/6/79, FR vol. 44, p. 20940.

(k) 29 CFR 1926.910 Inspection after blasting, published 4/6/79, FR vol. 44, p. 20940.

(l) 29 CFR 1926.911 Misfires, published 4/6/79, FR vol. 44, p. 20940.

(m) 29 CFR 1926.912 Underwater blasting, published 4/6/79, FR vol. 44, p. 20940.

(n) 29 CFR 1926.913 Blasting in excavation work under compressed air, published 4/6/79, FR vol. 44, p. 20940.

(o) 29 CFR 1926.914 Definitions applicable to this subpart, published 6/30/93, FR vol. 58, no. 124, p. 35184, 35311.

(22) Subdivision V – POWER TRANSMISSION AND DISTRIBUTION

(a) 29 CFR 1926.950 General requirements, published 4/6/79, FR vol. 44, p. 20940.

(b) 29 CFR 1926.951 Tools and protective equipment, published 8/9/94, FR vol. 59, no. 152, p. 40730.

(c) 29 CFR 1926.952 Mechanical equipment, published [~~4/6/79, FR vol. 44, p. 20940~~] **8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**

(d) 29 CFR 1926.953 Material handling, published 4/6/79, FR vol. 44, p. 20940.

(e) 29 CFR 1926.954 Grounding for protection of employees, published 4/6/79, FR vol. 44, p. 20940.

(f) 29 CFR 1926.955 Overhead lines, published 4/6/79, FR vol. 44, p. 20940.

(g) 29 CFR 1926.956 Underground lines, published 4/6/79, FR vol. 44, p. 20940.

(h) 29 CFR 1926.957 Construction in energized substations, published 4/6/79, FR vol. 44, p. 20940.

(i) 29 CFR 1926.958 External load helicopters, published 4/6/79, FR vol. 44, p. 20940.

(j) 29 CFR 1926.959 Lineman's body belts, safety straps, and lanyards, published 4/6/79, FR vol. 44, p. 20940.

(k) 29 CFR 1926.960 Definitions applicable to this subpart, published 4/6/79, FR vol. 44, p. 20940.

(23) Subdivision W – ROLLOVER PROTECTIVE STRUCTURES: OVERHEAD PROTECTION

(a) 29 CFR 1926.1000 Rollover protective structures (ROPS) for material handling equipment, published 4/6/79, FR vol. 44, p. 20940.

(b) 29 CFR 1926.1001 Minimum performance criteria for rollover protective structure for designated scrapers, loaders, dozers, graders, and crawler tractors, published 4/6/79, FR vol. 44, p. 20940.

(c) 29 CFR 1926.1002 Protective frame (ROPS) test procedures and performance requirements for wheel-type agricultural and industrial tractors used in construction, published 7/20/06, FR vol. 71, no. 139, p. 41127..

(d) 29 CFR 1926.1003 Overhead protection for operators of agricultural and industrial tractors, published 2/28/06, FR vol. 71, no. 39, p. 9909.

(24) Subdivision X – STAIRWAYS AND LADDERS

(a) 29 CFR 1926.1050 Scope, application and definitions applicable to this Subdivision, published [~~6/30/93, FR vol. 58, no. 124, p. 35184~~] **8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**

(b) 29 CFR 1926.1051 General requirements, published 11/14/90, FR vol. 55, no. 220, p. 47688.

(c) 29 CFR 1926.1052 Stairways, published 8/23/91, FR vol. 56, no. 164, pp. 41793-41794.

(d) 29 CFR 1926.1053 Ladders, published 8/23/91, FR vol. 56, no. 164, pp. 41793-41794.

(e) 29 CFR 1926.1054 (Reserved)

(f) 29 CFR 1926.1055 (Reserved)

(g) 29 CFR 1926.1056 (Reserved)

(h) 29 CFR 1926.1057 (Reserved)

(i) 29 CFR 1926.1058 (Reserved)

(j) 29 CFR 1926.1059 (Reserved)

(k) 29 CFR 1926.1060 Training requirements, published 11/14/90, FR vol. 55, no. 220, p. 47691.

(25) Subdivision Z – TOXIC AND HAZARDOUS SUBSTANCES

(a) 29 CFR 1926.1101 Asbestos, published 1/9/09, FR vol. 74, no. 6, p. 858.

(b) 29 CFR 1926.1126 Chromium (VI), published; 3/17/10, FR vol. 75, no. 51, pp. 12681-12686.

(c) 29 CFR 1926.1127 Cadmium, published 12/12/08, FR vol. 73, no. 240, pp. 75568-75589.

(d) 29 CFR 1926.1152 Methylene Chloride, published 12/18/97, FR vol. 62, no. 243, p. 66275.

(26) Subdivision AA – (Reserved)

(27) Subdivision BB – (Reserved)

(28) Subdivision CC – Cranes and Derricks in Construction

- (a) 29 CFR 1926.1400 Scope, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**
- (b) 29 CFR 1926.1401 Definitions, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**
- (c) 29 CFR 1926.1402 Ground conditions, published 8/9/10, FR vol. 75, no. 152. Pp. 47906-48177.**
- (d) 29 CFR 1926.1403 Assembly/Disassembly – selection of manufacturer or employer procedures, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**
- (e) 29 CFR 1926.1404 Assembly/Disassembly – general requirements (applies to all assembly and disassembly operations), published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**
- (f) 29 CFR 1926.1405 Disassembly – additional requirements for dismantling of booms and jibs (applies to both the use of manufacturer procedures and employer procedures), published 8/9/10, FR vol. 75, no. 152. Pp. 47906-48177.**
- (g) 29 CFR 1926.1406 Assembly/Disassembly – employer procedures – general requirements, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**
- (h) 29 CFR 1926.1407 Power line safety (up to 350 kV) – assembly and disassembly, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**
- (i) 29 CFR 1926.1408 Power line safety (up to 350 kV) – equipment operations, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**
- (j) 29 CFR 1926.1409 Power line safety (over 35 kV), published 8/9/10, FR vol. 75, vol. 152, pp. 47906-48177.**
- (k) 29 CFR 1926.1410 Power line safety (all voltages) – equipment operations closer than the Table A zone, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**
- (l) 29 CFR 1926.1411 Power line safety – while traveling, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**
- (m) 29 CFR 1926.1412 Inspections, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**
- (n) 29 CFR 1926.1413 Wire rope – inspection, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**
- (o) 29 CFR 1926.1414 Wire rope – selection and installation criteria, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**
- (p) 29 CFR 1926.1415 Safety devices, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**
- (q) 29 CFR 1926.1416 Operational aids, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**
- (r) 29 CFR 1926.1417 Operation, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**
- (s) 29 CFR 1926.1418 Authority to stop operation, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**
- (t) 29 CFR 1926.1419 Signals – general requirements, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**
- (u) 29 CFR 1926.1420 Signals – radio, telephone or other electronic transmission of signals, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**
- (v) 29 CFR 1926.1421 Signals – voice signals – additional requirements, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**
- (w) 29 CFR 1926.1422 Signals – hand signal chart, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**
- (x) 29 CFR 1926.1423 Fall protection, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**
- (y) 29 CFR 1926.1424 Work area control, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**
- (z) 29 CFR 1926.1425 Keeping clear of the load, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**

- (aa) 29 CFR 1926.1426 Free fall and controlled load lowering, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**
- (bb) 29 CFR 1926.1427 Operator qualification and certification, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**
- (cc) 29 CFR 1926.1428 Signal person qualifications, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**
- (dd) 29 CFR 1926.1429 Qualifications of maintenance & repair employees, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**
- (ee) 29 CFR 1926.1430 Training, published 8/9/10, FR vol. 75, no. 152, pp.47906-48177.**
- (ff) 29 CFR 1926.1431 Hoisting personnel, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**
- (gg) 29 CFR 1926.1432 Multiple-crane/derrick lifts – supplemental requirements, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**
- (hh) 29 CFR 1926.1433 Design, construction and testing, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**
- (ii) 29 CFR 1926.1434 Equipment modification, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**
- (ij) 29 CFR 1926.1435 Tower cranes, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**
- (kk) 29 CFR 1926.1436 Derricks, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**
- (ll) 29 CFR 1926.1437 Floating cranes/derricks and land cranes/derricks on barges, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**
- (mm) 29 CFR 1926.1438 Overhead & gantry cranes, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**
- (nn) 29 CFR 1926.1439 Dedicated pile drivers, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**
- (oo) 29 CFR 1926.1440 Sideboom cranes, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**
- (pp) 29 CFR 1926.1441 Equipment with a rated hoisting/lifting capacity of 2,000 pounds or less, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**
- (qq) 29 CFR 1926.1442 Severability, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**
- (rr) Appendix A to Subdivision CC of 1926 – Standard Hand Signals, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**
- (ss) Appendix B to Subdivision CC of 1926 – Assembly/Disassembly – Sample Procedures for Minimizing the Risk of Unintended Dangerous Boom Movement, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**
- (tt) Appendix C to Subdivision CC of 1926 – Operator Certification – Written Examination – Technical Knowledge Criteria, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**
- (29) Subdivision DD – Cranes and Derricks Used in Demolition and Underground Construction, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**
- (a) 29 CFR 1926.1500 Scope, published 8/9/10, FR vol. 75, no. 152, pp.47906-48177.**
- (b) 29 CFR 1926.1501 Cranes and Derricks, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.**

These standards are available at the Oregon Occupational Safety and Health Division, Oregon Department of Consumer and Business Services, and the United States Government Printing Office.

Stat. Auth.: ORS 654.025(2) and 656.726(4).
 Stats. Implemented: ORS 654.001 through 654.295.

Subdivision 3/N:

Equipment

1926.600(a)(6)

~~[(i) For lines rated 50 kV or below, minimum clearance between the lines and any part of the crane or load shall be 10 feet;]~~

~~[(ii) For lines rated over 50 kV, minimum clearance between the lines and any part of the crane or load shall be 10 feet plus 0.4 inch for each 1 kV over 50 kV, or twice the length of the line insulator, but never less than 10 feet;]~~

~~[(v) Cage-type boom guards, insulating links, or proximity warning devices may be used on cranes, but the use of such devices shall not alter the requirements of any other regulation of this part even if such device is required by law or regulation;]~~

OAR 437-003-3600 Equipment.

(1) For lines rated 50 kV or below, minimum clearance between the lines and any part of the equipment or load must be 10 feet.

(2) For lines rated over 50 kV, minimum clearance between the lines and any part of the equipment or load must be 10 feet plus 0.4 inch for each 1 kV over 50 kV, or twice the length of the line insulator, but never less than 10 feet.

(3) Cage-type boom guards, insulating links, or proximity warning devices may be used on equipment but the use of such devices must not alter the requirements of any other regulation of this part even if such device is required by law or regulation.

1926.602(c) Lifting and hauling (other than equipment covered under Subpart N of this part).

Note: See Subdivision CC.

In new Subdivision CC:

1926.1408 Table A – Minimum Clearance Distances

Note: Nominal “Direct Current (DC)” voltages apply.

1926.1411 Table T – Minimum Clearance Distances While Traveling with No Load

Note: Nominal “Direct Current (DC)” voltages apply.

1926.1423 Fall Protection

~~[(d) Personal fall arrest and fall restraint systems. Personal fall arrest system components must be used in personal fall arrest and fall restraint systems and must conform to the criteria in Sec. 1926.502(d) except that Sec. 1926.502(d)(15) does not apply to components used in personal fall arrest and fall restraint systems. Either body belts or body harnesses must be used in personal fall arrest and fall restraint systems. (See 1423(g) below)]~~

OAR 437-003-1423 Fall Protection

(1) Personal fall arrest and fall restraint systems must:

(a) Use personal fall arrest components

(b) Conform to the criteria in Division 3/M Fall Protection.

Note: Except that 1926.502(d)(15) does not apply to components used in personal fall arrest and fall restraint systems.

~~[(e) For non-assembly/disassembly work, the employer must provide and ensure the use of fall protection equipment for employees who are on a walking/working surface with an unprotected side or edge more than 6 feet above a lower level as follows:~~

~~(1) When moving point-to-point:~~

~~(i) On non-lattice booms (whether horizontal or not horizontal).~~

~~(ii) On lattice booms that are not horizontal.~~

~~(iii) On horizontal lattice booms where the fall distance is 15 feet or more.~~

~~(2) While at a work station on any part of the equipment (including the boom, of any type), except when the employee is at or near draw-works (when the equipment is running), in the cab, or on the deck.]~~

~~[(f) For assembly/disassembly work, the employer must provide and ensure the use of fall protection equipment for employees who are on a walking/working surface with an unprotected side or edge more than 15 feet above a lower level, except when the employee is at or near draw-works (when the equipment is running), in the cab, or on the deck.]~~

OAR 437-003-1423(2)

When employees are assembling, disassembling or otherwise performing work on a walking/working surface of a crane with an unprotected side or edge more than 10 feet above a lower level, the employer must ensure that fall protection systems are provided, installed, and used according to the criteria in Division 3/M Fall Protection.

(g) Anchorage criteria.

~~[(1) Sections 1926.502(d)(15) and 1926.502(e)(2) apply to equipment covered by this subpart only to the extent delineated in paragraph (g)(2) of this section.]~~

OAR 437-003-1423(3)

Anchorage criteria. 1926.502(d)(15), 1926.502(e)(2), and 437-003-0502(4) apply to equipment covered by this subdivision only to the extent delineated in paragraph 1926.1423(g)(2).

~~[(h) Tower cranes.~~

- (1) For work other than erecting, climbing, and dismantling, the employer must provide and ensure the use of fall protection equipment for employees who are on a walking/working surface with an unprotected side or edge more than 6 feet above a lower level, except when the employee is at or near draw works (when the equipment is running), in the cab, or on the deck.
- (2) For erecting, climbing, and dismantling work, the employer must provide and ensure the use of fall protection equipment for employees who are on a walking/working surface with an unprotected side or edge more than 15 feet above a lower level.]

OAR 437-003-1423(4)

Tower cranes. When employees are erecting, climbing, dismantling or otherwise performing work on a walking/working surface of a tower crane with an unprotected side or edge more than 10 feet above a lower level, employers must ensure that fall protection systems are provided, installed, and used according to the criteria in Division 3/M Fall Protection.

[(j) Anchoring to the load line. A personal fall arrest system is permitted to be anchored to the crane/derrick's hook (or other part of the load line) where all of the following requirements are met:

- (1) A qualified person has determined that the set-up and rated capacity of the crane/derrick (including the hook, load line and rigging) meets or exceeds the requirements in Sec. 1926.502(d)(15).
- (2) The equipment operator must be at the work site and informed that the equipment is being used for this purpose.
- (3) No load is suspended from the load line when the personal fall arrest system is anchored to the crane/derrick's hook (or other part of the load line).]

OAR 437-003-1423(5)

Anchoring to the load line. A personal fall arrest system is permitted to be anchored to the crane/derrick's hook (or other part of the load line) when all of the following requirements are met:

- (a) A qualified person determined that the set up and rated capacity of the crane/derrick (including the hook, load line and rigging) meets or exceeds the requirements in 1926.502(d)(15).**
- (b) The equipment operator is informed that it is being used for this purpose and the operator is in view of and no more than 25 feet from the operator station/cab.**
- (c) No load is suspended from the crane/derrick when the personal fall arrest system is anchored and used.**
- (d) The crane/derrick is not moved when the personal fall arrest system is anchored and being used.**

(k) Training. The employer must train each employee who may be exposed to fall hazards while on, or hoisted by, equipment covered by this subpart on all of the following:

- (1) the requirements in this subpart that address fall protection.
- (2) the applicable requirements in §§ 1926.500 and 1926.502.

OAR 437-003-1423(6)

Training. The employer must train each employee who may be exposed to fall hazards while on, or hoisted by, equipment covered by this subdivision on the applicable requirements in OARs 437-003-1500 and 437-003-0502.