

# OREGON-INITIATED TABLE OF CONTENTS

---

## DIVISION 3 – CONSTRUCTION

|                     |  |       |
|---------------------|--|-------|
| <b>437-003-0001</b> | <i>Adoption by reference</i> .....   | 3     |
| <b>437-003-0003</b> | <i>Purpose</i> .....   | A-1   |
| <b>437-003-0005</b> | <i>Additional applicability</i> .....  | A-1   |
| <b>437-003-0006</b> | <i>General Oregon definitions</i> .....  | A-1   |
| <b>437-003-0007</b> | <i>Additional rules of practice for administrative adjudications</i> .....     | A-3   |
| <b>437-003-0011</b> | <i>Additional definitions</i> .....  | C-8   |
| <b>437-003-0015</b> | <i>Drinking water</i> .....  | D-5   |
| <b>437-003-0017</b> | <i>Additional definitions to concrete and masonry construction</i> .....       | Q-2   |
| <b>437-003-0020</b> | <i>Toilets</i> .....   | D-6   |
| <b>437-003-0027</b> | <i>Applicable rules</i> .....  | D-7   |
| <b>437-003-0035</b> | <i>Additional rules</i> .....  | D-71  |
| <b>437-003-0045</b> | <i>Additional definitions</i> .....  | R-3   |
| <b>437-003-0047</b> | <i>Working near overhead high voltage lines and equipment</i> .....            | K-43  |
| <b>437-003-0065</b> | <i>Extension ladders</i> .....   | X-15  |
| <b>437-003-0071</b> | <i>Manually propelled elevating aerial platforms</i> .....                     | L-41  |
| <b>437-003-0073</b> | <i>Boom supported elevating work platforms</i> .....                           | L-42  |
| <b>437-003-0074</b> | <i>Scissor lifts – self-propelled elevating work platforms</i> .....           | L-42  |
| <b>437-003-0080</b> | <i>Wind velocity device</i> .....  | DD-13 |
| <b>437-003-0081</b> | <i>Crane operator safety training requirements</i> .....                       | CC-64 |
|                     | <i>Appendix OR-A – Classroom training/Basic core training curriculum</i> ..... | CC-67 |
|                     | <i>Appendix OR-B – Training (Crane specific)/Hydraulic cranes</i> .....        | CC-69 |
|                     | <i>Appendix OR-C – Training/Tower &amp; whirley cranes</i> .....               | CC-71 |
|                     | <i>Appendix OR-D – Training/Conventional cranes</i> .....                      | CC-73 |
|                     | <i>Appendix OR-E – Practical experience</i> .....                              | CC75  |
|                     | <i>Appendix OR-F – Curriculum for Crane Safety Refresher Training</i> .....    | CC-77 |

# OREGON-INITIATED TABLE OF CONTENTS

---

|                     |  |             |
|---------------------|--|-------------|
| <i>437-003-0085</i> | <i>General requirements .....</i>                    | <i>O-3</i>  |
| <i>437-003-0090</i> | <i>Pinchpoints .....</i>                             | <i>O-3</i>  |
| <i>437-003-0094</i> | <i>Personnel platforms .....</i>                     | <i>O-16</i> |
| <i>437-003-0096</i> | <i>Underground installations.....</i>                | <i>P-5</i>  |
| <i>437-003-0110</i> | <i>Personnel.....</i>                                | <i>V-2</i>  |
| <i>437-003-0115</i> | <i>High voltage.....</i>                             | <i>V-2</i>  |
| <i>437-003-0120</i> | <i>More than 750 volts.....</i>                      | <i>V-2</i>  |
| <i>437-003-0125</i> | <i>Proximity .....</i>                               | <i>V-3</i>  |
| <i>437-003-0128</i> | <i>High visibility garments .....</i>                | <i>C-5</i>  |
| <i>437-003-0130</i> | <i>Training/Experience .....</i>                     | <i>V-3</i>  |
| <i>437-003-0135</i> | <i>Additional personnel .....</i>                    | <i>V-3</i>  |
| <i>437-003-0140</i> | <i>Working foreman .....</i>                         | <i>V-3</i>  |
| <i>437-003-0145</i> | <i>General.....</i>                                  | <i>V-3</i>  |
| <i>437-003-0150</i> | <i>Foreman as safety watcher.....</i>                | <i>V-3</i>  |
| <i>437-003-0155</i> | <i>Selection .....</i>                               | <i>V-4</i>  |
| <i>437-003-0160</i> | <i>Request for safety watcher.....</i>               | <i>V-4</i>  |
| <i>437-003-0165</i> | <i>Safety watcher for nonelectrical workers.....</i> | <i>V-4</i>  |
| <i>437-003-0170</i> | <i>No defacement .....</i>                           | <i>V-4</i>  |
| <i>437-003-0175</i> | <i>Proper identification .....</i>                   | <i>V-5</i>  |
| <i>437-003-0180</i> | <i>Both ends identified.....</i>                     | <i>V-5</i>  |
| <i>437-003-0185</i> | <i>Energized cables .....</i>                        | <i>V-5</i>  |
| <i>437-003-0190</i> | <i>Cable tests.....</i>                              | <i>V-5</i>  |
| <i>437-003-0195</i> | <i>Protective equipment .....</i>                    | <i>V-9</i>  |

# OREGON-INITIATED TABLE OF CONTENTS

---

|                     |   |             |
|---------------------|---|-------------|
| <i>437-003-0200</i> | <i>Guards/Barriers .....</i>                                    | <i>V-9</i>  |
| <i>437-003-0205</i> | <i>Markers .....</i>  | <i>V-9</i>  |
| <i>437-003-0210</i> | <i>No attachments .....</i>                                     | <i>V-9</i>  |
| <i>437-003-0215</i> | <i>Emergency procedures and first aid .....</i>                 | <i>V-8</i>  |
| <i>437-003-0220</i> | <i>Working clearance .....</i>                                  | <i>V-6</i>  |
| <i>437-003-0225</i> | <i>Required precautions .....</i>                               | <i>V-7</i>  |
| <i>437-003-0227</i> | <i>Clearing/Tagging before work and removal after work.....</i> | <i>V-7</i>  |
| <i>437-003-0230</i> | <i>Verification before contact .....</i>                        | <i>V-8</i>  |
| <i>437-003-0235</i> | <i>Additional requirements.....</i>                             | <i>V-53</i> |
| <i>437-003-0240</i> | <i>Other materials and tools.....</i>                           | <i>V-53</i> |
| <i>437-003-0245</i> | <i>Tools in belt .....</i>                                      | <i>V-53</i> |
| <i>437-003-0250</i> | <i>Housekeeping .....</i>                                       | <i>V-33</i> |
| <i>437-003-0255</i> | <i>Designated voltage barriers .....</i>                        | <i>V-9</i>  |
| <i>437-003-0260</i> | <i>NEC Compliance .....</i>                                     | <i>V-10</i> |
| <i>437-003-0265</i> | <i>Tests and records.....</i>                                   | <i>V-10</i> |
| <i>437-003-0270</i> | <i>Rubber gloves.....</i>                                       | <i>V-10</i> |
| <i>437-003-0275</i> | <i>Tests of gloves and sleeves .....</i>                        | <i>V-10</i> |
| <i>437-003-0280</i> | <i>Glove assignment.....</i>                                    | <i>V-10</i> |
| <i>437-003-0285</i> | <i>Required protection.....</i>                                 | <i>V-10</i> |
| <i>437-003-0290</i> | <i>Hot sticks or other protective devices .....</i>             | <i>V-11</i> |
| <i>437-003-0295</i> | <i>Adequate protection .....</i>                                | <i>V-11</i> |
| <i>437-003-0300</i> | <i>Removal of foreign objects .....</i>                         | <i>V-11</i> |
| <i>437-003-0305</i> | <i>High voltage vicinity .....</i>                              | <i>V-11</i> |
| <i>437-003-0310</i> | <i>Two-worker rules.....</i>                                    | <i>V-12</i> |

# OREGON-INITIATED TABLE OF CONTENTS

---

|                     |  |      |
|---------------------|--|------|
| <i>437-003-0315</i> | <i>Leather protectors.....</i>                             | V-12 |
| <i>437-003-0320</i> | <i>Glove containers.....</i>                               | V-12 |
| <i>437-003-0325</i> | <i>Correct use.....</i>                                    | V-12 |
| <i>437-003-0330</i> | <i>Defective gloves.....</i>                               | V-12 |
| <i>437-003-0335</i> | <i>Providing and maintaining protection equipment.....</i> | V-12 |
| <i>437-003-0340</i> | <i>Design and use.....</i>                                 | V-12 |
| <i>437-003-0345</i> | <i>Suspected defect.....</i>                               | V-13 |
| <i>437-003-0350</i> | <i>Housekeeping.....</i>                                   | V-13 |
| <i>437-003-0355</i> | <i>Climber gaffs.....</i>                                  | V-14 |
| <i>437-003-0360</i> | <i>Gaffs guarded.....</i>                                  | V-14 |
| <i>437-003-0365</i> | <i>Restriction on use of climbers.....</i>                 | V-14 |
| <i>437-003-0370</i> | <i>Inspection and condition.....</i>                       | V-15 |
| <i>437-003-0375</i> | <i>Handling and transporting.....</i>                      | V-16 |
| <i>437-003-0380</i> | <i>Margin of safety.....</i>                               | V-16 |
| <i>437-003-0385</i> | <i>Required use.....</i>                                   | V-16 |
| <i>437-003-0390</i> | <i>Weather and other factors.....</i>                      | V-16 |
| <i>437-003-0395</i> | <i>Tested and warranted.....</i>                           | V-16 |
| <i>437-003-0400</i> | <i>Rope use.....</i>                                       | V-16 |
| <i>437-003-0404</i> | <i>Branch circuits.....</i>                                | K-9  |
| <i>437-003-0405</i> | <i>Removal of foreign objects.....</i>                     | V-17 |
| <i>437-003-0410</i> | <i>Damaged/Defective ladders.....</i>                      | V-15 |
| <i>437-003-0415</i> | <i>General.....</i>  | V-19 |
| <i>437-003-0420</i> | <i>Traffic control.....</i>                                | G-2  |
| <i>437-003-0425</i> | <i>Rigging.....</i>  | V-19 |

# OREGON-INITIATED TABLE OF CONTENTS

---

|                     |  |             |
|---------------------|--|-------------|
| <i>437-003-0430</i> | <i>Suitable equipment.....</i>                 | <i>V-19</i> |
| <i>437-003-0435</i> | <i>Position for hoisting.....</i>              | <i>V-19</i> |
| <i>437-003-0440</i> | <i>Stability.....</i>                          | <i>V-19</i> |
| <i>437-003-0445</i> | <i>High voltage contact.....</i>               | <i>V-20</i> |
| <i>437-003-0450</i> | <i>Two-worker rules.....</i>                   | <i>V-20</i> |
| <i>437-003-0455</i> | <i>Proximity to high voltage.....</i>          | <i>V-20</i> |
| <i>437-003-0460</i> | <i>Inadvertent contact protection.....</i>     | <i>V-20</i> |
| <i>437-003-0465</i> | <i>Operation/Maintenance manual.....</i>       | <i>V-20</i> |
| <i>437-003-0470</i> | <i>Posted capacity.....</i>                    | <i>V-21</i> |
| <i>437-003-0475</i> | <i>Operational check.....</i>                  | <i>V-21</i> |
| <i>437-003-0480</i> | <i>Worker's presence.....</i>                  | <i>V-25</i> |
| <i>437-003-0485</i> | <i>Three phase line.....</i>                   | <i>V-25</i> |
| <i>437-003-0490</i> | <i>Overhead static wires.....</i>              | <i>V-25</i> |
| <i>437-003-0495</i> | <i>No contact with conducting objects.....</i> | <i>V-25</i> |
| <i>437-003-0500</i> | <i>Clearance request.....</i>                  | <i>V-25</i> |
| <i>437-003-0502</i> | <i>Personal fall restraint.....</i>            | <i>M-15</i> |
| <i>437-003-0503</i> | <i>Training requirements.....</i>              | <i>M-23</i> |
| <i>437-003-0505</i> | <i>Identity of dispatcher.....</i>             | <i>V-26</i> |
| <i>437-003-0510</i> | <i>Identity of requestor.....</i>              | <i>V-26</i> |
| <i>437-003-0515</i> | <i>Request content.....</i>                    | <i>V-26</i> |
| <i>437-003-0520</i> | <i>Request verification.....</i>               | <i>V-26</i> |
| <i>437-003-0525</i> | <i>Notification necessary.....</i>             | <i>V-26</i> |
| <i>437-003-0530</i> | <i>Verification of clearance.....</i>          | <i>V-26</i> |
| <i>437-003-0535</i> | <i>Multiple workers.....</i>                   | <i>V-27</i> |

# OREGON-INITIATED TABLE OF CONTENTS

---

|                     |   |      |
|---------------------|---|------|
| <i>437-003-0540</i> | <i>Release of clearance</i> .....           | V-27 |
| <i>437-003-0545</i> | <i>Tags prohibit use</i> .....              | V-27 |
| <i>437-003-0550</i> | <i>Tag removal</i> .....                    | V-27 |
| <i>437-003-0555</i> | <i>Responsibility of requestor</i> .....    | V-27 |
| <i>437-003-0560</i> | <i>Attaching and removing grounds</i> ..... | V-27 |
| <i>437-003-0565</i> | <i>Dead end towers</i> .....                | V-31 |
| <i>437-003-0570</i> | <i>Wire rope</i> .....                      | V-31 |
| <i>437-003-0575</i> | <i>Ladders</i> .....                        | V-31 |
| <i>437-003-0580</i> | <i>Strength check</i> .....                 | V-31 |
| <i>437-003-0585</i> | <i>Route check</i> .....                    | V-31 |
| <i>437-003-0590</i> | <i>Equipment check</i> .....                | V-32 |
| <i>437-003-0595</i> | <i>Platform use</i> .....                   | V-32 |
| <i>437-003-0600</i> | <i>Bare-hand work</i> .....                 | V-41 |
| <i>437-003-0605</i> | <i>Qualified supervision</i> .....          | V-33 |
| <i>437-003-0610</i> | <i>Proximity to high voltage</i> .....      | V-32 |
| <i>437-003-0615</i> | <i>Positive control</i> .....               | V-35 |
| <i>437-003-0620</i> | <i>Removing conductors</i> .....            | V-35 |
| <i>437-003-0625</i> | <i>Pulling</i> .....                        | V-35 |
| <i>437-003-0630</i> | <i>Bare conductors</i> .....                | V-35 |
| <i>437-003-0635</i> | <i>Stringing conductors</i> .....           | V-36 |
| <i>437-003-0640</i> | <i>Sleeves</i> .....                        | V-36 |
| <i>437-003-0645</i> | <i>Reel tender</i> .....                    | V-36 |
| <i>437-003-0650</i> | <i>Reel tending equipment</i> .....         | V-36 |
| <i>437-003-0655</i> | <i>Equipment secured</i> .....              | V-36 |

# OREGON-INITIATED TABLE OF CONTENTS

---

|                     |   |      |
|---------------------|---|------|
| <i>437-003-0706</i> | <i>Protection of employees on or near masonry walls</i> ..... | Q-19 |
| <i>437-003-0707</i> | <i>Chipper equipment and operation</i> .....                  | V-40 |
| <i>437-003-0720</i> | <i>CPR training</i> .....                                     | V-39 |
| <i>437-003-0725</i> | <i>Rescue training</i> .....                                  | V-40 |
| <i>437-003-0752</i> | <i>Site-specific erection plan</i> .....                      | R-10 |
| <i>437-003-0753</i> | <i>Tag lines</i> .....  | R-11 |
| <i>437-003-0761</i> | <i>Additional training requirements</i> .....                 | R-30 |
| <i>437-003-0770</i> | <i>Barriers, guards, warning signs</i> .....                  | V-43 |
| <i>437-003-0775</i> | <i>Guarding required before entering</i> .....                | V-43 |
| <i>437-003-0780</i> | <i>Test for flammability</i> .....                            | V-44 |
| <i>437-003-0785</i> | <i>Illumination</i> .....                                     | V-44 |
| <i>437-003-0790</i> | <i>Designation and posting</i> .....                          | V-45 |
| <i>437-003-0795</i> | <i>Use of sources of ignition</i> .....                       | V-45 |
| <i>437-003-0800</i> | <i>Personal protection</i> .....                              | V-46 |
| <i>437-003-0805</i> | <i>Static electricity</i> .....                               | V-46 |
| <i>437-003-0810</i> | <i>Ventilation</i> .....                                      | V-46 |
| <i>437-003-0815</i> | <i>Use of equipment</i> .....                                 | V-48 |
| <i>437-003-0820</i> | <i>Use of barrier</i> .....                                   | V-47 |
| <i>437-003-0825</i> | <i>Nonelectrical workers</i> .....                            | V-47 |
| <i>437-003-0830</i> | <i>Additional rules</i> .....                                 | V-51 |
| <i>437-003-0835</i> | <i>Hooking and unloading loads</i> .....                      | V-51 |
| <i>437-003-0840</i> | <i>Use of body belts and safety lines</i> .....               | V-54 |
| <i>437-003-0845</i> | <i>Use of safety straps</i> .....                             | V-54 |
| <i>437-003-0850</i> | <i>Storing equipment</i> .....                                | V-54 |

# OREGON-INITIATED TABLE OF CONTENTS

Oregon Administrative Rules  
Oregon Occupational Safety  
and Health Division

---

|                     |  |             |
|---------------------|--|-------------|
| <i>437-003-0855</i> | <i>Use of straps and lanyards .....</i>  | <i>V-54</i> |
| <i>437-003-0860</i> | <i>Equipment criteria .....</i>  | <i>V-54</i> |
| <i>437-003-0865</i> | <i>Equipment inspection before use .....</i>   | <i>V-55</i> |
| <i>437-003-0870</i> | <i>Monthly supervisory inspection.....</i>   | <i>V-55</i> |
| <i>437-003-0875</i> | <i>Additional rules .....</i>  | <i>V-55</i> |
| <i>437-003-0880</i> | <i>Safety lines .....</i>  | <i>V-55</i> |
| <i>437-003-0885</i> | <i>Replacement .....</i>   | <i>V-55</i> |
| <i>437-003-0890</i> | <i>Additional definitions .....</i>  | <i>V-63</i> |
| <i>437-003-0905</i> | <i>Flooring.....</i>   | <i>C-1</i>  |
| <i>437-003-0910</i> | <i>Temporary floors .....</i>  | <i>C-1</i>  |
| <i>437-003-0915</i> | <i>Shoring, bracing or guying of structures .....</i>                                | <i>C-1</i>  |
| <i>437-003-0920</i> | <i>Project plans .....</i>   | <i>C-2</i>  |
| <i>437-003-0925</i> | <i>Powder-actuated tools .....</i>   | <i>I-9</i>  |
| <i>437-003-1000</i> | <i>Oregon Rules for Air Contaminants.....</i>  | <i>Z-1</i>  |
| <i>437-003-1500</i> | <i>Additional definitions .....</i>  | <i>M-2</i>  |
| <i>437-003-1501</i> | <i>General fall protection.....</i>  | <i>M-7</i>  |
| <i>437-003-1502</i> | <i>Warning line systems for roofing work.....</i>                                    | <i>M-17</i> |
| <i>437-003-1752</i> | <i>Written notifications .....</i>   | <i>R-9</i>  |
| <i>437-003-1754</i> | <i>Roof and floor holes and openings .....</i>                                       | <i>R-16</i> |
| <i>437-003-2502</i> | <i>Safety monitoring systems .....</i>   | <i>M-18</i> |
| <i>437-003-3224</i> | <i>Vehicle drivers and riders .....</i>  | <i>O-5</i>  |
| <i>437-003-3225</i> | <i>Vehicles for highway and road operation characteristics and maintenance .....</i> | <i>O-7</i>  |

# OREGON-INITIATED TABLE OF CONTENTS

---

|                     |  |      |
|---------------------|--|------|
| <b>437-003-3226</b> | <i>Vehicles for use on property other than public roads and highways, operation, characteristics and maintenance .....</i> | O-10 |
| <b>437-003-3502</b> | <i>Slide guard systems .....</i>   | M-19 |
| <b>437-003-3600</b> | <i>Equipment .....</i>   | O-2  |

